

Utah Department of Environmental Quality

Division of Drinking Water

Monitoring Schedule

Run Date:
08/04/2011 11:59 am

PWS ID: UTAH09089 **Name:** TURN ABOUT RANCH

Legal Contact: TURN ABOUT RANCH **Rating:** Approved
MARTY ORMOND **Rating Date:** 05/26/2006

Address: P O BOX 345 **Activity Status:** Active
ESCALANTE, UT 84726

Phone Number: 435-826-4240

City Served (Area):

County: GARFIELD COUNTY

System Type: Non-community **Last Inv Update:** 06/09/2010 **Avg Daily Prod:**

Activity Status Cd: Active **Last Snty Srv Dt:** 08/15/2008 **Total Dsgn Cap:**

Population: 38 **Surveyor:** MARK BERTELSON **Total Emerg Cap:**

Oper Period: 1/1 to 12/31

Gal/Day Gal/Min

Total Coliform Rule Monitoring

Sample Count	Sample Type	Sample Frequency	Effective Begin Date	Effective End Date	Seasonal Start	Seasonal End	Analyte Name
1	Routine	Quarterly	01/01/1991		1/1	12/31	COLIFORM (TCR)

Additional Monitoring Requirements

(The Sample Label is not correct for Disinfection Byproducts, TOC, TOC Alkalinity, and any triggered groundwater samples)

Facility ☐ ID Facility Name

Analyte Name	Sample Count	Sample Type	Sample Frequency	Last Sample	Next Sample Between
WS002 TURN ABOUT WELL #2		Activity Status: A	Sample Label: UTAH09089	WS002	WS002
NITRATE	1	Routine	Year	09/08/2010	01/01/2011-12/31/2011
SULFATE	1	Routine	3Y	09/08/2010	01/01/2011-12/31/2013